| Standard Number | Year | Committee | Project Title | Standard Expiration Date |
|---|---|---|---|---|
| 802 | 2014 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture | 31 Dec 2024 |
| 802.1AB | 2016 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks - Station and Media Access Control Connectivity Discovery | 31 Dec 2026 |
| 802.1AC | 2016 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks -- Media Access Control (MAC) Service Definition | 31 Dec 2026 |
| 802.1AC-2016/Cor 1 | 2018 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Media Access Control (MAC) Service Definition - Corrigendum 1: Logical Link Control (LLC) Encapsulation EtherType | 31 Dec 2028 |
| 802.1AE | 2018 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks-Media Access Control (MAC) Security | 31 Dec 2028 |
| 802.1AE-2018/Cor 1 | 2020 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks--Media Access Control (MAC) Security Corrigendum 1: Tag Control Information Figure | 31 Dec 2030 |
| 802.1AR | 2018 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks - Secure Device Identity | 31 Dec 2028 |
| 802.1AS | 2020 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Timing and Synchronization for Time-Sensitive Applications | 31 Dec 2030 |
| 802.1AX | 2020 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Link Aggregation | 31 Dec 2030 |
| 802.1AXbk | 2012 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks--Link Aggregation Amendment 1: Protocol Addressing | 31 Dec 2022 |
| 802.1BA | 2011 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks--Audio Video Bridging (AVB) Systems | 31 Dec 2021 |
| 802.1BA-2011/Cor 1 | 2016 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks-- Audio Video Bridging (AVB) Systems-- Corrigendum 1: Technical and Editorial Corrections | 31 Dec 2026 |
| 802.1BR | 2012 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks--Virtual Bridged Local Area Networks--Bridge Port Extension | 31 Dec 2022 |
| 802.1CB | 2017 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks--Frame Replication and Elimination for Reliability | 31 Dec 2027 |
| 802.1CF | 2019 | C/LM/802.1 WG | IEEE Recommended Practice for Network Reference Model and Functional Description of IEEE 802(R) Access Network | 31 Dec 2029 |
| 802.1CM | 2018 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks -- Time-Sensitive Networking for Fronthaul | 31 Dec 2028 |
| 802.1CMde | 2020 | C/LM/802.1 WG | IEEE Approved Draft Standard for Local and metropolitan area networks -- Time-Sensitive Networking for Fronthaul Amendment: Enhancements to Fronthaul Profiles to Support New Fronthaul Interface, Synchronization, and Syntonization Standards | 31 Dec 2030 |

| Standard Number | Year | Committee | Project Title | Standard Expiration Date |
|---|---|---|---|---|
| 802.1D | 2004 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges | 31 Dec 2021 |
| 802.1Q | 2018 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Bridges and Bridged Networks | 31 Dec 2028 |
| 802.1Qcc | 2018 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Bridges and Bridged Networks -- Amendment 31: Stream Reservation Protocol (SRP) Enhancements and Performance Improvements | 31 Dec 2028 |
| 802.1Qcp | 2018 | C/LM/802.1 WG | IEEE Standard for Local and metropolitan area networks--Bridges and Bridged Networks--Amendment 30: YANG Data Model | 31 Dec 2028 |
| 802.1Qcr | 2020 | C/LM/802.1 WG | IEEE Approved Draft Standard for Local and metropolitan area networks--Bridges and Bridged Networks Amendment: Asynchronous Traffic Shaping | 31 Dec 2030 |
| 802.1Qcx | 2020 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Bridges and Bridged Networks Amendment 33: YANG Data Model for Connectivity Fault Management | 31 Dec 2030 |
| 802.1Qcy | 2019 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Bridges and Bridged Networks Amendment 32: Virtual Station Interface (VSI) Discovery and Configuration Protocol (VDP) Extension to Support Network Virtualization Overlays Over Layer 3 (NVO3) | 31 Dec 2029 |
| 802.1X | 2020 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks--Port-Based Network Access Control | 31 Dec 2030 |
| 802c | 2017 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks:Overview and Architecture--Amendment 2: Local Medium Access Control (MAC) Address Usage | 31 Dec 2027 |
| 802d | 2017 | C/LM/802.1 WG | IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture Amendment 1: Allocation of Uniform Resource Name (URN) Values in IEEE 802(R) Standards | 31 Dec 2027 |
| 802E | 2020 | C/LM/802.1 WG | IEEE Approved Draft Recommended Practice for Privacy Considerations for IEEE 802 Technologies | 31 Dec 2030 |
| 802.11 | 2016 | C/LM/802.11 WG | IEEE Standard for Information technology--Telecommunications and information exchange between systems Local and metropolitan area networks--Specific requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications | 31 Dec 2026 |

| Standard Number | Year | Committee | Project Title | Standard Expiration Date |
|---|---|---|---|---|
| 802.11ah | 2016 | C/LM/802.11 WG | IEEE Standard for Information technology--Telecommunications and information exchange between systems - Local and metropolitan area networks--Specific requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Amendment 2: Sub 1 GHz License Exempt Operation | 31 Dec 2026 |
| 802.11ai | 2016 | C/LM/802.11 WG | IEEE Standard for Information technology--Telecommunications and information exchange between systems - Local and metropolitan area networks--Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Amendment 1: Fast Initial Link Setup | 31 Dec 2026 |
| 802.11aj | 2018 | C/LM/802.11 WG | IEEE Standard for Information Technology--Telecommunications and information exchange between systems Local and metropolitan area networks--Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Amendment 3: Enhancements for Very High Throughput to Support Chinese Millimeter Wave Frequency Bands(60 GHz and 45 GHz) | 31 Dec 2028 |
| 802.11ak | 2018 | C/LM/802.11 WG | IEEE Standard for Information technology-Telecommunications and information exchange between systems Local and metropolitan area networks-Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Amendment 4: Enhancements for Transit Links Within Bridged Networks | 31 Dec 2028 |
| 802.11aq | 2018 | C/LM/802.11 WG | IEEE Standard for Information technology--Telecommunications and information exchange between systems Local and metropolitan area networks--Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Amendment 5: Preassociation Discovery | 31 Dec 2028 |
| 802.15.10 | 2017 | C/LM/802.15 WG | IEEE Recommended Practice for Routing Packets in IEEE 802.15.4 Dynamically Changing Wireless Networks | 31 Dec 2027 |
| 802.15.10a | 2019 | C/LM/802.15 WG | IEEE Recommended Practice for Routing Packets in IEEE 802.15.4(TM) Dynamically Changing Wireless Networks - Amendment 1: Fully Defined Use of Addressing and Route Information Currently in IEEE Std 802.15.10 | 31 Dec 2029 |
| 802.15.22.3 | 2020 | C/LM/802.15 WG | IEEE Approved Draft Standard for Spectrum Characterization and Occupancy Sensing | 31 Dec 2030 |
| 802.15.3 | 2016 | C/LM/802.15 WG | IEEE Standard for High Data Rate Wireless Multi-Media Networks | 31 Dec 2026 |
| 802.15.3d | 2017 | C/LM/802.15 WG | IEEE Standard for High Data Rate Wireless Multi-Media Networks Amendment 2: 100 Gb/s Wireless Switched Point-to-Point Physical Layer | 31 Dec 2027 |

| Standard Number | Year | Committee | Project Title | Standard Expiration Date |
|---|---|---|---|---|
| 802.15.3e | 2017 | C/LM/802.15 WG | IEEE Standard for High Data Rate Wireless Multi-Media Networks--Amendment 1: High-Rate Close Proximity Point-to-Point Communications | 31 Dec 2027 |
| 802.15.3f | 2017 | C/LM/802.15 WG | IEEE Standard for High Data Rate Wireless Multi-Media Networks Amendment 3: Extending the Physical Layer (PHY) Specification for Millimeter Wave to Operate from 57.0 GHz to 71 GHz | 31 Dec 2027 |
| 802.15.4 | 2020 | C/LM/802.15 WG | IEEE Standard for Low-Rate Wireless Networks | 31 Dec 2030 |
| 802.15.4w | 2020 | C/LM/802.15 WG | IEEE Standard for Low-Rate Wireless Networks--Amendment 2: Low Power Wide Area Network (LPWAN) Extension to the Low-Energy Critical Infrastructure Monitoring (LECIM) Physical Layer (PHY) | 31 Dec 2030 |
| 802.15.4z | 2020 | C/LM/802.15 WG | IEEE Standard for Low-Rate Wireless Networks--Amendment 1: Enhanced Ultra Wideband (UWB) Physical Layers (PHYs) and Associated Ranging Techniques | 31 Dec 2030 |
| 802.15.6 | 2012 | C/LM/802.15 WG | IEEE Standard for Local and metropolitan area networks - Part 15.6: Wireless Body Area Networks | 31 Dec 2022 |
| 802.15.7 | 2018 | C/LM/802.15 WG | IEEE Standard for Local and metropolitan area networks--Part 15.7: Short-Range Optical Wireless Communications | 31 Dec 2028 |
| 802.15.8 | 2017 | C/LM/802.15 WG | IEEE Standard for Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Peer Aware Communications (PAC) | 31 Dec 2027 |
| 802.15.9 | 2016 | C/LM/802.15 WG | IEEE Recommended Practice for Transport of Key Management Protocol (KMP) Datagrams | 31 Dec 2026 |
| 802.16 | 2017 | C/LM/802.16 WG | IEEE Standard for Air Interface for Broadband Wireless Access Systems | 31 Dec 2027 |
| 802.16.1 | 2012 | C/LM/802.16 WG | IEEE Standard for WirelessMAN-Advanced Air Interface for Broadband Wireless Access Systems | 31 Dec 2022 |
| 802.16.1a | 2013 | C/LM/802.16 WG | IEEE Standard for WirelessMAN-Advanced Air Interface for Broadband Wireless Access Systems --Amendment 2: Higher Reliability Networks | 31 Dec 2023 |
| 802.16.1b | 2012 | C/LM/802.16 WG | IEEE Standard for WirelessMAN-Advanced Air Interface for Broadband Wireless Access Systems Amendment 1: Enhancements to Support Machine-to-Machine Applications | 31 Dec 2022 |
| 802.16.2 | 2004 | C/LM/802.16 WG | IEEE Recommended Practice for Local and Metropolitan Area Networks Coexistence of Fixed Broadband Wireless Access Systems | 31 Dec 2020 |
| 802.19.1 | 2018 | C/LM/802.19 WG | IEEE Standard for Information technology--Telecommunications and information exchange between systems--Local and metropolitan area networks--Specific requirements--Part 19: Wireless Network Coexistence Methods | 31 Dec 2028 |
| 802.21 | 2017 | C/LM/802.21 WG | IEEE Standard for Local and metropolitan area networks--Part 21: Media Independent Services Framework | 31 Dec 2027 |

| Standard Number | Year | Committee | Project Title | Standard Expiration Date |
|---|---|---|---|---|
| 802.21-2017/Cor 1 | 2017 | C/LM/802.21 WG | IEEE Standard for Local and metropolitan area networks--Part 21: Media Independent Services Framework--Corrigendum 1: Clarification of Parameter Definition in Group Session Key Derivation | 31 Dec 2027 |
| 802.21.1 | 2017 | C/LM/802.21 WG | IEEE Standard for Local and metropolitan area networks--Part 21.1: Media Independent Services | 31 Dec 2027 |
| 802.22 | 2019 | C/LM/802.22 WG | IEEE Standard for Information Technology--Telecommunications and information exchange between systems--Wireless Regional Area Networks (WRAN)--Specific requirements--Part 22: Cognitive Wireless RAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Policies and Procedures for Operation in the Bands that Allow Spectrum Sharing where the Communications Devices May Opportunistically Operate in the Spectrum of Primary Service | 31 Dec 2029 |
| 802.22.1 | 2010 | C/LM/802.22 WG | IEEE Standard for Information Technology--Telecommunications and information exchange between systems--Local and metropolitan area networks--Specific requirements Part 22.1: Standard to Enhance Harmful Interference Protection for Low-Power Licensed Devices Operating in TV Broadcast Bands | 31 Dec 2020 |
| 802.22.2 | 2012 | C/LM/802.22 WG | IEEE Recommended Practice for Information Technology - Telecommunications and information exchange between systems Wireless Regional Area Networks (WRAN) - Specific requirements - Part 22.2: Installation and Deployment of IEEE 802.22 Systems | 31 Dec 2022 |
| 802.3 | 2018 | C/LM/802.3 WG | IEEE Standard for Ethernet | 31 Dec 2028 |
| 802.3.1 | 2013 | C/LM/802.3 WG | IEEE Standard for Management Information Base (MIB) Definitions for Ethernet | 31 Dec 2023 |
| 802.3.2 | 2019 | C/LM/802.3 WG | IEEE Standard for Ethernet - YANG Data Model Definitions | 31 Dec 2029 |
| 802.3bt | 2018 | C/LM/802.3 WG | IEEE Standard for Ethernet Amendment 2: Physical Layer and Management Parameters for Power over Ethernet over 4 pairs | 31 Dec 2028 |
| 802.3ca | 2020 | C/LM/802.3 WG | IEEE Standard for Ethernet Amendment 9: Physical Layer Specifications and Management Parameters for 25 Gb/s and 50 Gb/s Passive Optical Networks | 31 Dec 2030 |
| 802.3cb | 2018 | C/LM/802.3 WG | IEEE Standard for Ethernet - Amendment 1:Physical Layer Specifications and Management Parameters for 2.5 Gb/s and 5 Gb/s Operation over Backplane | 31 Dec 2028 |
| 802.3cd | 2018 | C/LM/802.3 WG | IEEE Standard for Ethernet - Amendment 3: Media Access Control Parameters for 50 Gb/s and Physical Layers and Management Parameters for 50 Gb/s, 100 Gb/s, and 200 Gb/s Operation | 31 Dec 2028 |

| Standard Number | Year | Committee | Project Title | Standard Expiration Date |
|---|---|---|---|---|
| 802.3cg | 2019 | C/LM/802.3 WG | IEEE Standard for Ethernet - Amendment 5: Physical Layer Specifications and Management Parameters for 10 Mb/s Operation and Associated Power Delivery over a Single Balanced Pair of Conductors | 31 Dec 2029 |
| 802.3ch | 2020 | C/LM/802.3 WG | IEEE Standard for Ethernet--Amendment 8:Physical Layer Specifications and Management Parameters for 2.5 Gb/s, 5 Gb/s, and 10 Gb/s Automotive Electrical Ethernet | 31 Dec 2030 |
| 802.3cm | 2020 | C/LM/802.3 WG | IEEE Standard for Ethernet -- Amendment 7: Physical Layer and Management Parameters for 400 Gb/s over Multimode Fiber | 31 Dec 2030 |
| 802.3cn | 2019 | C/LM/802.3 WG | IEEE Standard for Ethernet - Amendment 4: Physical Layers and Management Parameters for 50Gb/s, 200Gb/s, and 400Gb/s Operation over Single-Mode Fiber | 31 Dec 2029 |
| 802.3cq | 2020 | C/LM/802.3 WG | IEEE Standard for Ethernet Amendment 6: Maintenance #13: Power over Ethernet over 2 pairs | 31 Dec 2030 |